	Hits	Search Text	DBs
1	49	("5475757" "6016348" "6209097" "5008935" "5737424" "6073236" "6118872" "6125186" "6396926" "6411712" "4423287" "5878135" "5191611" "5418854" "5497421" "5710817" "5933500" "5977997" "6061449" "6061449" "6092191" "6185680" "6240514" "6240516" "4578530" "4757533" "4771458" "4780828" "4870681" "4876718" "4944006" "4975867" "5195136" "5337362" "5343530" "5408531" "5432851" "5594793" "5602920" "5663896" "5712800" "5742686" "5745571" "5761302" "5805802" "5841872" "5978918" "6028932" "6047069" "6151677").pn.	USPAT
2	10	sato-ryuji.in.	US-PGPUB; USPAT
3	162	713/190.ccls.	US-PGPUB; USPAT
4	15	"4905277".URPN.	USPAT
5	223	(software or program$1) near5 ((dynamic$4 near2 analy$4) or revers$) same (prevent$3 or illegal$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	97	(software or program$1) near5 ((dynamic$4 near2 analy$4) or revers$) with (prevent$3 or illegal$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	43	((software or program$1) near5 ((dynamic$4 near2 analy$4) or revers$) with (prevent$3 or illegal$2)) and ((software or program$1 or code or module$1) near4 (encrypt$3 or encod$3 or cipher$ or decrypt$3 or decod$3 or decipher$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
8	24	((each near2 other) or reciprocal$2) near3 (encrypt$3 or decrypt$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	5211	(partial or half) near3 (encrypt$3 or encod$3 or cipher$ or decrypt$3 or decod$3 or decipher$3)	USPAT
10	131	(partial or half) near3 (encrypt$3 or decrypt$3)	USPAT
11	244	(tamper$1resistant or "tamper resistant") near3 (software or program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	33	((tamper$1resistant or "tamper resistant") near3 (software or program)) and (((code or program) near2 module$1) with (encrypt$3 or decrypt$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	176	380/33.ccls.	US-PGPUB; USPAT
14	2	380/33.ccls. and (((plural$ or multiple) near2 (path$1 or channel$)) with ((plural$ or multiple) near2 program$1))	US-PGPUB; USPAT
15	322	380/37.ccls.	US-PGPUB; USPAT
16	9	380/37.ccls. and ((plural$ or multiple) near3 ((encrypt$3 or cryptograph$) near2 algorithm))	US-PGPUB; USPAT
17	369	(encrypt$3 or encod$3) near4 ((program or code) near2 module$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	30	((encrypt$3 or encod$3) near4 ((program or code) near2 module$1)) and ((first near3 program) with (second near3 program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
19	8	(first near3 (decrypt$3 near program)) with (second near3 (decrypt$3 near program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	0	(decrypt$3 or decod$3) with "each other"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	369	(encrypt$3 or encod$3) near4 ((program or code) near2 module$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	4	((encrypt$3 or encod$3) near4 ((program or code) near2 module$1)) and ((prevent$3 or illegal$) near3 (dynamic$4 or reverse))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	53	((encrypt$3 or encod$3) near4 ((program or code) near2 module$1)) and debug$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	2	"5892899".pn. or "6205550".pn.	USPAT
25	103	(second near3 (decryption near (program or module or algorithm)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	17	second near3 "decryption program"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	7	((common or shared) near area) with ((code or program) near module$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
28	31	((common or shared) near (area or use$3)) with ((code or program) near module$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	88	((common or shared) near area) with module$1	USPAT
30	3825	713/189-190,193-194,200.ccls.	US-PGPUB; USPAT
31	79	713/189-190,193-194,200.ccls. and ((tamper$1resistant or "tamper resistant") near3 (software or program))	US-PGPUB; USPAT
32	42	(713/189-190,193-194,200.ccls. and ((tamper$1resistant or "tamper resistant") near3 (software or program))) and ((code or program or software) near2 (module$1 or sub$1program))	US-PGPUB; USPAT
33	42	((713/189-190,193-194,200.ccls. and ((tamper$1resistant or "tamper resistant") near3 (software or program))) and ((code or program or software) near2 (module$1 or sub$1program))) and (encrypt$3 or encod$3)	US-PGPUB; USPAT
34	39	713/189-190,193-194,200.ccls. and ((software or program$1) near5 ((dynamic$4 near2 analy$4) or revers$) same (prevent$3 or illegal$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	111	713/189-190,193-194,200.ccls. and ((tamper$1resistant or "tamper resistant") near3 (software or program or module))	US-PGPUB; USPAT
36	4	(713/189-190,193-194,200.ccls. and ((tamper$1resistant or "tamper resistant") near3 (software or program or module))) and (elapsed near3 time with execut$3)	US-PGPUB; USPAT

	Hits	Search Text	DBs
37	0	(713/189-190,193-194,200.ccls. and ((tamper$1 resistant or "tamper resistant") near3 (software or program or module))) and (wait$3 near3 time with execut$3)	US-PGPUB; USPAT
38	4	(713/189-190,193-194,200.ccls. and ((tamper$1 resistant or "tamper resistant") near3 (software or program or module))) and (((wait$3 near3 time) or synchroniz$5) same execut$3)	US-PGPUB; USPAT
39	1	("6779114").PN.	USPAT; USOCR
40	2	cloakware.as.	US-PGPUB; USPAT
41	1272	synchroniz$ with (crypto$ or encrypt$ or decrypt$3)	US-PGPUB; USPAT
42	651	synchroniz$ near3 (crypto$ or encrypt$ or decrypt$3)	US-PGPUB; USPAT
43	3	synchroniz$ near3 (crypto$ or encrypt$ or decrypt$3) with wait	US-PGPUB; USPAT
44	16	synchroniz$ near3 (crypto$ or encrypt$ or decrypt$3) with execut$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	10	sato-ryuji.in.	US-PGPUB; USPAT
46	164	713/190.ccls. and (@ad<"20010501" or @rlad<"20010501")	US-PGPUB; USPAT
47	16	"4905277".URPN.	USPAT
48	46	((software or program$1) near5 ((dynamic$4 near2 analy$4) or revers$) with (prevent$3 or illegal$2)) and ((software or program$1 or code or module$1) near4 (encrypt$3 or encod$3 or cipher$ or decrypt$3 or decod$3 or decipher$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
49	31	((each near2 other) or reciprocal$2) near3 (encrypt$3 or decrypt$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	141	(partial or half) near3 (encrypt$3 or decrypt$3)	USPAT
51	34	((tamper$1resistant or "tamper resistant") near3 (software or program)) and (((code or program) near2 module$1) with (encrypt$3 or decrypt$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	2	380/33.ccls. and (((plural$ or multiple) near2 (path$1 or channel$)) with ((plural$ or multiple) near2 program$1))	US-PGPUB; USPAT
53	13	380/37.ccls. and ((plural$ or multiple) near3 ((encrypt$3 or cryptograph$) near2 algorithm))	US-PGPUB; USPAT
54	31	((encrypt$3 or encod$3) near4 ((program or code) near2 module$1)) and ((first near3 program) with (second near3 program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	9	(first near3 (decrypt$3 near program)) with (second near3 (decrypt$3 near program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	0	(decrypt$3 or decod$3) with "each other"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	5	((encrypt$3 or encod$3) near4 ((program or code) near2 module$1)) and ((prevent$3 or illegal$) near3 (dynamic$4 or reverse))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
58	57	((encrypt$3 or encod$3) near4 ((program or code) near2 module$1)) and debug$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	25	second near3 "decryption program"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	7	((common or shared) near area) with ((code or program) near module$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	32	((common or shared) near (area or use$3)) with ((code or program) near module$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	45	((713/189-190,193-194,200.ccls. and ((tamper$1resistant or "tamper resistant") near3 (software or program))) and ((code or program or software) near2 (module$1 or sub$1program))) and (encrypt$3 or encod$3)	US-PGPUB; USPAT
63	42	713/189-190,193-194,200.ccls. and ((software or program$1) near5 ((dynamic$4 near2 analy$4) or revers$) same (prevent$3 or illegal$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	4	(713/189-190,193-194,200.ccls. and ((tamper$1resistant or "tamper resistant") near3 (software or program or module))) and ((elapsed or expire$1) near3 time with execut$3)	US-PGPUB; USPAT
65	3	cloakware.as.	US-PGPUB; USPAT
66	4	synchroniz$ near3 (crypto$ or encrypt$ or decrypt$3) with wait	US-PGPUB; USPAT

	Hits	Search Text	DBs
67	16	synchroniz$ near3 (crypto$ or encrypt$ or decrypt$3) with execut$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	912	717/124,127,131,154.ccls. and (@ad<"20010501" or @rlad<"20010501")	US-PGPUB; USPAT
69	2	S209 and (tamper$1resistant or "tamper resistant")	US-PGPUB; USPAT
70	4	S209 and (((dynamic$4 near2 analy$4) or revers$) with (prevent$3 or illegal$2))	US-PGPUB; USPAT
71	17	S209 and ((software or program or module) same (elapsed near3 time with execut$3))	US-PGPUB; USPAT
72	6	S209 and ((encrypt$3 or decrypt$3) same module$1)	US-PGPUB; USPAT
73	21	((analy$4 or revers$) with (prevent$3 or illegal$2)) same obfuscat$3	US-PGPUB; USPAT
74	41	(tamper$1resistant or "tamper resistant") same obfuscat$3	US-PGPUB; USPAT
75	13	S216 and (synchroniz$5 or wait or elapsed)	US-PGPUB; USPAT
76	2825	713/189-190,193-194,200.ccls. and (@ad<"20010501" or @rlad<"20010501")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	11	S218 and (obfuscat$3 with (software or programs or code)) and (synchroniz$5 or wait or elapsed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB